ELSEVIER

Volume 302 Numbers 1–2, 28 April 2000

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letters

A new ternary uranium arsenide, $U_4Ru_7As_6$ L1
H. Noël, M. Potel (Rennes, France) and D. Kaczorowski (Wroclaw, Poland)

Single crystal investigation of DyCoSn L3
P. Salamakha (Parma, Italy and Sacavèm, Portugal), O. Sologub (Thiais, France), L. Righi and G. Bocelli (Parma, Italy)

Crystal structure and magnetic property of La_2MnRuO_6 phase L6
N. Kamegashira, T. Mori, A. Imamura (Toyohashi, Japan) and Y. Hinatsu (Sapporo, Japan)

Synthesis and crystal structures of Cs_2MgD_4 and Cs_3MgD_5 . . . . . L12
B. Bertheville (Genève, Switzerland), P. Fischer (Villigen, Switzerland) and K. Yvon (Genève, Switzerland)

Mixing enthalpies in liquid Ag–Sr alloys L17
M.I. Ivanov, N.I. Usenko and V.T. Witusiewicz (Kyiv, Ukraine)

Physics

Crystal structure and magnetic behaviour of $UCoAs_2$ 1
D. Kaczorowski (Wroclaw, Poland), H. Noël and M. Potel (Rennes, France)

Structure and magnetic properties of $Pr_2Co_{17-x}Si_x$ compounds 5
L. Zhang (Guangzhou, PR China and Amsterdam, The Netherlands), D.C. Zeng (Guangzhou, PR China), Y.N. Liang (Guangzhou, PR China and Amsterdam, The Netherlands), J.C.P. Klaasse, E. Brück (Amsterdam, The Netherlands), Z.Y. Liu (Guangzhou, PR China), F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Excitation energy transfer between two 2*i* sites in triclinic L–$EuBO_3$ and L–$GdBO_3$:Eu^{3+} 12
M. Yin (Orsay, France), G. Corbel, M. Leblanc (Le Mans, France), E. Antic-Fidancev (Paris, France) and J.C. Krupa (Orsay, France)

Experimental and theoretical investigations on eskolaite (Cr_2O_3) at high pressures 16
S. Rekhi, L.S. Dubrovinsky, R. Ahuja, S.K. Saxena and B. Johansson (Uppsala, Sweden)

Spin-reorientation and anisotropy of the magnetization in single crystalline $Ho_2Co_{15}Si_2$ 21
O. Tegus (Huhhot, Taiwan), E. Brück, A.A. Menovsky, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Influence of copper concentration on the ESR spectrum of Cu^{2+} in MgO 26
R.S. de Biasi and M.L.N. Grillo (Rio de Janeiro, Brazil)

Magnetic properties of the Laves-phase compounds $Fe_{1-x}Co_xBe_2$ 29
H. Samata (Kobe, Japan), Y. Nagata, S. Morita, G. Tanaka, T. Mitsuhashi, S. Yashiro (Tokyo, Japan) and S. Abe (Kanagawa, Japan)

Chemistry

Metal-doped sodium aluminium hydrides as potential new hydrogen storage materials 36
B. Bogdanović (Mülheim an der Ruhr, Germany), R.A. Brand (Duisburg, Germany), A. Marjanović, M. Schwickardi and J. Tölle (Mülheim an der Ruhr, Germany)

On the solubility of Sn in the $LaMnO_y$ perovskite 59
L. Morales (CONICET, Argentina), F. Prado, A. Caneiro (Bariloche, Argentina), R.D. Sánchez and A. Serquis (CONICET, Argentina)

Study on the multi-composition AB_5 alloys including Li, made by the diffusion method, and their electrodes 65
L. Wang, H. Yuan, H. Yang, K. Zhou, D. Song and Y. Zhang (Tianjin, PR China)

Quaternary rare earth transition metal arsenide oxides *RT*AsO (*T*=Fe, Ru, Co) with ZrCuSiAs type structure 70
P. Quebe, L.J. Terbüchte and W. Jeitschko (Münster, Germany)

Elsevier Science S.A.

Enthalpy increments of $ThMo_2O_8$(s) and Tl_2MoO_4(s) 75
S. Dash, Z. Singh, N.D. Dahale, R. Prasad and V. Venugopal (Mumbai, India)

Effect of surface modification of $TiV_{2.1}Ni_{0.3}$ by ball-milling with MgNi on charge–discharge cycle performance 82
W.-K. Choi, T. Tanaka, T. Morikawa, H. Inoue and C. Iwakura (Osaka, Japan)

Site-selective emission spectra of Eu^{3+}:$Ca_5(PO_4)_3F$ 87
M. Karbowiak (Orsay, France and Wroclaw, Poland) and S. Hubert (Orsay, France)

Structural and magnetic studies of manganese-containing pyrochlore oxides 94
Dr. Ismunandar (Bandung, Indonesia), B.J. Kennedy (Sydney, NSW, Australia) and B.A. Hunter (Menai, NSW, Australia)

Electrochemical lithiation of the ternary silver sulfide $Ag_4Hf_3S_8$ 101
H. Wada (Ibaraki, Japan) and K. Sakamaki (Ibaraki and Saitama, Japan)

Structural investigation and hydrogen storage capacity of $LaMg_2Ni_9$ and $(La_{0.65}Ca_{0.35})(Mg_{1.32}Ca_{0.68})Ni_9$ of the AB_2C_9 type structure 112
K. Kadir, T. Sakai and I. Uehara (Osaka, Japan)

Effect of some dopant elements on the low temperature formation of γ-Ce_2S_3 118
S. Roméro, A. Mosset (Toulouse, France), P. Macaudière (Aubervilliers, France) and J.C. Trombe (Toulouse, France)

Metallurgy

Phase relationships in the ternary Ga–Ni–Sb system 128
S.L. Markovski (Eindhoven, The Netherlands), K. Micke, K.W. Richter (Wien, Austria), F.J.J. van Loo (Eindhoven, The Netherlands) and H. Ipser (Wien, Austria)

Microstructure and mechanical properties of a rapidly solidified Ni_3Al–Cr alloy after thermal treatments 137
P. Pérez, P. González, G. Garcés, G. Caruana and P. Adeva (Madrid, Spain)

Hydrogen absorption–desorption characteristics, kinetics of hydrogen absorption and thermodynamics of dissolved hydrogen in $Zr_{0.1}Tb_{0.9}Fe_{1.5}Co_{1.5}$ 146
R. Sivakumar, S. Ramaprabhu, K.V.S. Rama Rao (Madras, India), B. Mayer and P.C. Schmidt (Darmstadt, Germany)

Thermodynamic investigation of Pt–Pb binary alloys 155
R. Lbibb (Béni Mellal, Maroc), R. Castanet (Marseille, France) and A. Rais (Béni Mellal, Maroc)

Phase transition between hydrogen superstructures with $\boldsymbol{k}=(001)$ and $\boldsymbol{k}=0$ via incommensurate phase in ZrV_2D_x ($2.8 \leq x \leq 3.9$) . 159
A.V. Irodova (Moscow, Russia), G. Andre and F. Bouree (Gif sur Yvette, France)

A thermodynamic assessment of the La–Al system 169
F. Yin, X. Su, Z. Li, M. Huang and Y. Shi (Xiangtan, PR China)

The Cu_2Se–HgSe–In_2Se_3 system at 670 K 173
V.O. Halka, I.D. Olekseyuk and O.V. Parasyuk (Lutsk, Ukraine)

Diffusion studies in Hf–Mo, Zr–Mo, Cr–Nb, Cr–Ta and Th–Re systems above 1900 K 177
Y.J. Bhatt, L. Kumar, R.V. Patil, G.B. Kale and S.P. Garg (Mumbai, India)

Enthalpy of formation of Al–Fe–Si alloys II (τ_6, τ_2, τ_3, τ_8, τ_4) 187
Y. Li and B. Legendre (Chatenay-Malabry, France)

Structural properties of metastable phases in Zr–Nb alloys. II. Systematics of the atomic volumes and interatomic distances . . 192
G.M. Benites and A. Fernández Guillermet (Bariloche, Argentina)

Thermodynamic modeling of the Dy–Pd system 199
Z. Du, H. Yang and Y. Xu (Beijing, PR China)

Materials Science

Concentration effects of Er^{3+} ion in YAG:Er laser crystals 204
Y. Yu, Z. Wu and S. Zhang (Changchun, PR China)

Magnetic analysis of $Nd_{80}Fe_{15}(B_{1-x}C_x)_5$ alloys ($0.85 \leq x \leq 1.00$) 209
G. López (Rio de Janeiro, Brazil and La Habana, Cuba), P.H. Domingues (Rio de Janeiro, Brazil) and J.L. Sánchez Ll (La Habana, Cuba)

Decomposition of nickel-doped magnesium hydride prepared by reactive mechanical alloying 215
P. Tessier and E. Akiba (Ibaraki, Japan)

Nickel–metal hydride (Ni–MH) battery using Mg_2Ni-type hydrogen storage alloy 218
N. Cui, J.L. Luo and K.T. Chuang (Edmonton, Canada)

Tensile properties of nitride dispersed Al–Ti alloy synthesized by reactive ball milling in N_2 gas 227
K.I. Moon, M.S. Oh and K.S. Lee (Seoul, South Korea)

Effect of annealing period on the resistive transitions and AC losses in a $Bi_{1.6}Pb_{0.4}Sr_2Ca_3Cu_4O_{12}$ superconductor fabricated by a wet technique 235
S. Nezir (Kırıkkale, Turkey), S. Çelebi and M. Altunbaş (Trabzon, Turkey)

Evidence for elemental partitioning in gas-atomized $Nd_2Fe_{14}B$ modified by alloying additions 239
L.H. Lewis, K. Gallagher, K. Wu (Upton, NY, USA), D.J. Branagan and C.H. Sellers (Idaho Falls, ID, USA)

Surface treatment for hydrogen storage alloy of nickel/metal hydride battery 248
M.-S. Wu, H.-R. Wu, Y.-Y. Wang and C.-C. Wan (Hsinchu, Taiwan)

Steady concentration distribution of hydrogen in elastic membranes during hydrogen diffusion 258
W.-S. Zhang, X.-W. Zhang and Z.-L. Zhang (Beijing, PR China)

Study on the effect of repeated HDDR on the coercivity of $Sm_2Fe_{17}N_x$ material 261
H.W. Kwon and S.U. Park (Pusan, South Korea)

Cold rolling of B2 intermetallics 266
H. Hosoda, S. Miyazaki (Tsukuba, Japan), K. Inoue (Seattle, WA, USA), T. Fukui (Kawasaki, Japan), K. Mizuuchi (Osaka, Japan), Y. Mishima (Yokohama, Japan) and T. Suzuki (Kochi, Japan)

Containerless rapid solidification of $Ag_{28.1}Cu_{41.4}Ge_{30.5}$ ternary alloy 274
N. Wang and B. Wei (Xian, PR China)

Effects of a partial substitution of Fe by Mo and Mo plus Co on the structure and magnetic properties of $Nd_{8.4}Fe_{87.1}B_{4.5}$ alloys prepared by mechanical alloying 281
B.Z. Cui, X.K. Sun, W. Liu, D.Y. Geng, Z.Q. Yang and Z.D. Zhang (Shenyang, PR China)

Influence of the grain size on the reactivity of TiO_2/C mixtures 287
P. Lefort, A. Maitre and P. Tristant (Limoges, France)

The electronic and electrochemical properties of the ZrV_2 and $Zr(V_{0.75}Ni_{0.25})_2$ systems 299
A. Szajek, M. Jurczyk and W. Rajewski (Poznan, Poland)

Hydriding properties of $LaNi_3$ and $CaNi_3$ and their substitutes with $PuNi_3$-type structure 304
J. Chen, H.T. Takeshita, H. Tanaka, N. Kuriyama, T. Sakai (Osaka, Japan), I. Uehara (Toyama, Japan) and M. Haruta (Osaka, Japan)

Corrigendum to "Effect of rapid solidification process on the electrode performance of $Zr(Ni_{0.55}V_{0.1}Mn_{0.3}Cr_{0.05})_{2.1}$" [J. Alloys Comp. 293–295 (1999) 756–761] 314
K. Shu, Y. Lei, X. Yang, G. Lin, Q. Wang, G. Lü and L. Chen (Hangzhou, PR China)

Author Index of Volume 302 315

Subject Index of Volume 302 317

Keyword list